

2021-2022 Missouri School Immunization Requirements

- All students must present documentation of up-to-date immunization status, including month, day, and year of each immunization before attending school.
- The Advisory Committee on Immunization Practices (ACIP) allows a 4-day grace period. Students in all grade levels may receive immunizations up to four days before the due date.
- Required immunizations should be administered according to the current Advisory Committee on Immunization Practices Schedule, including all spacing, (<http://www.cdc.gov/vaccines/schedules/index.html>).
- To remain in school, students "in progress" must have an Immunization In Progress form (Imm.P.14) on file. In progress means that a child has begun the vaccine series and has an appointment for the next dose. This appointment must be kept and an updated record provided to the school. If the appointment is not kept, the child is no longer in progress and is noncompliant. (i.e., Hep B vaccine series was started but the child is not yet eligible to receive the next dose in the series.)
- Religious (Imm.P.11A) and Medical (Imm.P.12) exemptions are allowed. The appropriate exemption card must be on file. Unimmunized children are subject to exclusion from school when outbreaks of vaccine-preventable diseases occur.

Vaccines Required for School Attendance	Dose Required by Grade												
	K	1	2	3	4	5	6	7	8	9	10	11	12
DTaP/DTP/DT ¹	4+	4+	4+	4+	4+	4+	4+	4+	4+	4+	4+	4+	4+
Tdap ²									1	1	1	1	1
MCV ³ (Meningococcal Conjugate)									1	1	1	1	2
IPV (Polio) ⁴	3+	3+	3+	3+	3+	3+	3+	3+	3+	3+	3+	3+	3+
MMR ⁵	2	2	2	2	2	2	2	2	2	2	2	2	2
Hepatitis B ⁶	3+	3+	3+	3+	3+	3+	3+	3+	3+	3+	3+	3+	3+
Varicella ⁷	2	2	2	2	2	2	2	2	2	2	2	2	1

- Last dose on or after the fourth birthday and the last dose of pediatric pertussis before the seventh birthday.
Maximum needed: six doses.
- 8-12 Grades: Tdap, which contains pertussis vaccine, is required.
- Grade 8-11: One dose of MCV is required. Dose must be given after 10 years of age.
Grade 12: Two doses of MCV are required unless the first dose was administered to a student who was 16 years of age or older, in which case only one dose is required. At least one dose must be given after 16 years of age.
- Kindergarten-11 Grade: Last dose must be administered on or after the fourth birthday. The interval between the next-to-last and last dose should be at least six months.
Grade 12: Last dose on or after the fourth birthday. Any combination of four doses of IPV and OPV constitutes a complete series. **Maximum needed:** four doses.
- First dose must be given on or after twelve months of age.
- There must be at least four weeks between dose one and two; at least 8 weeks between dose two and three; at least 16 weeks between doses one and three and final dose must be given no earlier than 24 weeks of age.
- First dose must be given on or after twelve months of age.
Kindergarten-11 Grade: As satisfactory evidence of disease, a licensed health care provider may sign and place on file with the school a written statement documenting the month and year of previous varicella (chickenpox) disease.
Grades 12: As satisfactory evidence of disease, a parent/guardian or MD or DO may sign and place on file with the school a written statement documenting the month and year of previous varicella (chickenpox) disease.



Requisitos de Vacunación para las Escuelas de Missouri 2021-2022

- Todos los estudiantes deben presentar documentación del estado de vacunación actualizado, incluido el mes, día y año de cada vacuna antes de asistir a la escuela.
- El Comité Asesor sobre Prácticas de Vacunación (ACIP, por sus siglas en inglés) permite un periodo de gracia de 4 días. Los estudiantes de todos los niveles de grado pueden recibir las vacunas hasta cuatro días antes de la fecha de vencimiento.
- Las vacunas exigidas deben ser aplicadas de acuerdo con el Programa del Comité Asesor sobre Prácticas de Vacunación, incluidos todos los espaciamientos, (<http://www.cdc.gov/vaccines/schedules/index.html>).
- Para permanecer en la escuela, los estudiantes “en progreso” deben tener un formulario de Vacunación en Progreso (Imm.P.14) en el expediente. En progreso significa que el niño ha comenzado una serie de vacunas y tiene una cita para la próxima dosis. Se debe mantener esta cita y se debe proporcionar un registro actualizado a la escuela. Si no va a la cita, el niño deja de estar en progreso y no cumple con los requisitos. (es decir, el niño comenzó la serie de vacunas de la Hepatitis B, pero aún no es elegible para recibir la siguiente dosis de la serie).
- Se admiten exenciones Médicas (Imm.P.12) o Religiosas (Imm.P.11A). La tarjeta de exención adecuada debe de estar en el expediente. Los niños no vacunados están sujetos a la exclusión de la escuela cuando ocurren brotes de enfermedades prevenibles con vacunas.

Vacunas Exigidas para Asistir a la Escuela	Dosis Requerida por Grado												
	K	1	2	3	4	5	6	7	8	9	10	11	12
DTaP/DTP/DT ¹	4+	4+	4+	4+	4+	4+	4+	4+	4+	4+	4+	4+	4+
Tdap ²									1	1	1	1	1
MCV ³ (Vacuna Meningocócica Conjugad)									1	1	1	1	2
IPV (Polio) ⁴	3+	3+	3+	3+	3+	3+	3+	3+	3+	3+	3+	3+	3+
MMR ⁵	2	2	2	2	2	2	2	2	2	2	2	2	2
Hepatitis B ⁶	3+	3+	3+	3+	3+	3+	3+	3+	3+	3+	3+	3+	3+
Varicela ⁷	2	2	2	2	2	2	2	2	2	2	2	2	1

1. La última dosis a partir del cuarto cumpleaños y la última dosis contra la tos ferina pediátrica antes del séptimo cumpleaños. **Dosis máxima necesaria:** seis dosis.
2. Grados 8-12: Tdap, que contiene la vacuna contra la tos ferina, es obligatoria.
3. Grados 8-11: Se requiere una dosis de MCV. La dosis debe aplicarse después de los 10 años.
Grado 12: Se requieren dos dosis de MCV, salvo que la primera dosis fuese aplicada a un estudiante que tiene 16 años o más, en cuyo caso se requiere solo una dosis. Al menos una dosis debe aplicarse después de los 16 años.
4. Kínder-Grado 11: La última dosis debe aplicarse a partir del cuarto cumpleaños. El intervalo entre la penúltima y última dosis debe ser de al menos seis meses.
Grados 12: La última dosis debe aplicarse a partir del cuarto cumpleaños. Cualquier combinación de cuatro dosis de IPV y OPV constituye una serie completa. **Dosis máxima necesaria:** cuatro dosis.
5. La primera dosis debe aplicarse a partir de los doce meses de edad.
6. Debe haber como mínimo cuatro semanas entre la primera y la segunda dosis; como mínimo 8 semanas entre la segunda y la tercera dosis; como mínimo 16 semanas entre la primera y la tercera dosis y la última dosis debe aplicarse no antes de las 24 semanas de edad.
7. La primera dosis debe aplicarse a partir de los doce meses de edad.
Kínder-Grado 11: Como prueba satisfactoria de enfermedad, un proveedor de atención médica o médico con licencia puede firmar y archivar en la escuela una declaración escrita que registre el mes y año en el que sufrió de varicela.
Grados 12: Como prueba satisfactoria de enfermedad, un padre/tutor, médico (MD, por sus siglas en inglés) o médico osteópata (DO, por sus siglas en inglés) puede firmar y archivar en la escuela una declaración escrita que registre el mes y año en el que sufrió de varicela.

